Sanum

Fortakehl® 6X Ampules

Administration form:	Liquid dilution for injection
Preparation Group:	Fungal preparation
Active ingredient:	Penicillium roquefortii e volumine cellulae (lyophil., steril.) 6X
Composition:	1 ampule of 1 ml contains: Medically active substance: 1 ml Penicillium roquefortii e volumine cellulae (lyophil., steril.) 6X aquous dil. Other constituents: isotonic sodium chloride solution.
According to experience, to be administered with cases of:	As with all registered homeopathic remedies, therapeutic indications are not stated.
Application:	Unless otherwise prescribed: 1 ampule of 1 ml to be injected subcutaneously, 1-3 x weekly.
Side effects:	Because of specific organic components of Fortakehl®, theoretically, hypersensitivity may occur. In this case, discontinue medication and treat symptomatically.
Contraindications:	Do not administer in cases of known hypersensitivity to mold fungi (Penicillium roquefortii).
Adverse reactions:	None known.
Interactions with other remedies:	Immunosuppressive drugs can influence the effectivity of Fortakehl®. An interval of 4 weeks before and after treatment with orally administered live vaccines must be observed.
Precautions:	As with all medications and due to the variations of clinical studies, professional medical advice should be sought prior to

	recommending this product to patients with autoimmune diseases, to women during pregnancy or breastfeeding, as well as with children.
Additional advice:	Penicillium roquefortii as an active ingredient is also contained in Exmykehl®.
Duration of treatment:	Dependent on the advice of the physician or health care professional.
How supplied:	The following dosage forms are available: 10 ml dropper bottle 5X, 1 ml ampule 10 and 50 5X, 6X, 10 suppositories 3X, 20 capsules 4X, 20 tablets 5X.